

**SUBSTITUTE  
Notice of Allowability**

Application No.

09/707,737

Examiner

Kenneth R Horlick

Applicant(s)

QUAKE ET AL.

Art Unit

1637

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the response filed 12/05/03.
2. ☒ The allowed claim(s) is/are 26.
3. ☒ The drawings filed on 06 November 2000 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Kenneth R Horlick  
Primary Examiner  
Art Unit: 1637

Art Unit: 1637

1. Upon review of the Notice of Allowance mailed 01/30/04, the absence of a primary stamp and signature mandated that a new Notice of Allowance be mailed. A new three-month shortened statutory period is started corresponding to the mailing date of this letter.

2. **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Nicole Fortune on 03/15/04.

Amend claim 26 as follows:

Art Unit: 1637

26. (amended) A method of analyzing a target polynucleotide comprising:


- (a) pretreating the surface of a substrate with a polyelectrolyte multilayer (PEM) to create surface chemistry that facilitates polynucleotide attachment and sequence analysis;
- (b) providing a primed target polynucleotide attached to **[a] the** surface of **[a] the** substrate;
- (c) providing a labeled first **[nucleotides] nucleotide** to the attached target polynucleotide under conditions whereby the labeled first nucleotide attaches to the primer, if a complementary nucleotide is present to serve as template in the target polynucleotide;
- (d) determining presence or absence of a signal, the presence of a signal indicating that the labeled first nucleotide was incorporated into the primer, and hence the identity of the complementary base that served as a template in the target polynucleotide;
- (e) repeating steps (c)-(d) with a labeled further nucleotide, the same or different from the first labeled nucleotide, whereby the labeled further nucleotide attaches to the primer or a nucleotide previously incorporated into the primer; and
- (f) repeating step (e) until identities of the bases in a portion or all of the target polynucleotide are determined.

Art Unit: 1637

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth R Horlick whose telephone number is 571-272-0784. The examiner can normally be reached on Monday-Thursday 6:30AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 571-272-0782. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Kenneth R Horlick  
Primary Examiner  
Art Unit 1637

03/15/04